


Installation Instruction



UNPACKING INSTRUCTIONS

- Carefully open the carton, remove contents and lay out on cardboard or other protective surface to avoid damage.
- Check package contents against the Supplied Parts List in the next page to assure that all components were received undamaged. Do not use damaged or defective parts.
- Carefully read all instructions before attempting installation.

IMPORTANT SAFETY INFORMATION

Install and operate this device with care. Please read this instruction before beginning the installation, and carefully follow all instructions contained herein. Use proper safety equipment during installation.

Please call a qualified installation contractor for help if you:

- If you don't understand these directions or have any doubts about the safety of the installation.
- If you are uncertain about the nature of your wall, consult a qualified installation contractor.

Do not use this product for any purpose or in any configuration not explicitly specified in this instruction. We hereby disclaim any and all liability for injury or damage arising from incorrect assembly, incorrect mounting, or incorrect use of this product.



WARNING

CAUTION!


This TV mount must be securely attached to the vertical wall. If the mount is not properly installed it may fall, resulting in possible injury and/or damage.

Tools Required


- | | | |
|--|---|---|
| <ul style="list-style-type: none"> ■ 5/32"(4mm) Drill Bit ■ Phillips Screwdriver | <ul style="list-style-type: none"> ■ 3/8"(10mm) Masonry Bit ■ Stud Finder | <ul style="list-style-type: none"> ■ Wrench or Socket Set ■ Carpenter's Level |
|--|---|---|

Note: The mounting components and hardware supplied in this package are not designed for installations to walls with steel studs or to cinder block walls. If the hardware you need for your installation is not included, please consult your local hardware store for proper mounting hardware for the application.

Parts for Install Bracket to TV and Wall




(4)M4 Spacer-A




(8)5mm M6/M8
Spacer-B




(4)20mm M6/M8
Spacer-C



(4)M4 Washer-D



(4)M6 Washer-E



(4)M8 Washer-F



(4)M4x12 Bolt-G




(4)M4x30 Bolt-H




(4)M6x20 Bolt-J




(4)M6x35 Bolt-K




(4)M8x20 Bolt-L




(4)M8x35 Bolt-M




(4)M8x45 Bolt-N



(6)Lag Bolt Washer-X




(6)M8x90mm Lag Bolt-Y




(6)M10x80mm
Concrete Anchor-Z


Parts for Assemble the Bracket




(1)Wall Plate




(1)Arm Assembled




(2)Extension Bar




(2)Monitor Bracket



(1)VESA 200 Plate




(1)Cable Cover a



(1)Cable Cover b



(1)Cover Guide




(2)Decoration Cover



(14)M4x8 Bolt




(4)M8 Nut



(8)M8 Washer




(4)M8x10 Bolt



(1)Allen Key



(4)M5x10 Bolt




(4)M5 Washer

Step 1


Mounting the Wall Plate to the Wall

Brick or Concrete Wall

1.1




1.2




Wood Studs Wall


1.1



1.2




1.3




Step 2

Mounting the VESA 200 Plate to a TV with VESA 100x100, 200x100 or 200x200 mounting pattern, skip this step for the TV up VESA 200x200




For Flat Back TV




For Curved Back TV

Step 3


Install the Monitor Brackets to Extension Bars, please note there are two mounting positions of the large size bracket for different hole patterns



"M" Size Bracket up to
VESA 400 x 400




"L" Size Bracket up to
VESA 600 x 500



"L" Size Bracket up to
VESA 900 x 500

Step 4


Install the VESA 200 Plate to Bracket




Step 5

Mounting the Monitor Brackets to the back of TV


5.1 G/H/J/K/L/M/N



5.2 A/B/C (Optional)




5.3




Step 6

Fasten the Extension Bar by four bolts after install the Monitor Bracket on the back of TV, using the Allen Key provided




Step 7

Attaching the Arm Assembled to Wall Plate




Step 8

Adding the Safety Bolts on the bottom of Wall Plate




Step 9

Attaching TV to Arm Assembled and Adding the Safety Bolt



Step 10



Horizontal screen adjustment and install the Decoration Cover



Horizontal screen adjustment up to 5.7" (145mm) for perfect screen placement

Step 11

Install the Cable Covers and guide the cables



Step 12

Tilting the TV for the best view angle and adjust the level by build-in screen level adjustment system

